ENGINEERING DEPARTMENT.

BANGALORE DIVISION.

Tender Notice.

Tenders for the purchase of about 5,000 R.ft. of 90 lbs. double headed rails now fixed on Hosakote tank Bund on 15th mile of Bangalore-Kolar Road (Madras-Cannanore Road, Kolar side) will be received by the undersigned till 3 P.M. of 3rd February 1940 with an earnest money of Rs. 200. The acceptance of tender will be intimated within three days thereafter and permission to remove the rails will be given on payment of entire cost of rail to the Executive Engineer, Bangalore Division, within a week of acceptance of tender. Further details may be had from the office.

Abstract Notification dated 27th January 1940.

The attention of the public is hereby invited to the detailed notification, inviting sealed tenders for constructing a Dispensary Building with Out-houses at Kengeri, Bangalore Taluk, published on pages 216-220 of Part VI of the *Mysore Gazette*, dated 1st February 1940.

The last date for the receipt of the tender is 2 P.M. on 20th February 1940. Duplicate challan for having credited the deposit amount of Rs. 200 into the Treasury under "17 (*a*) P.W. Deposits" should accompany each tender.

N. LAKSHMINARASIMHAIYA,
Executive Engineer.

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notification dated 22nd January 1940.

The attention of the public is invited to the notification, calling for tenders for the work of "Providing Sanitary fittings and drainage arrangements to the Cricket Stadium behind Central College Hostel at Bangalore" published in pages 163-165, Part VI of the *Mysore Gazette*, dated 25th January 1940.

The last date of receiving tenders is fixed on 10th February 1940.

Abstract Notification dated 27th January 1940.

The attention of the public is invited to the notification calling for tenders for the labour portion of the work for laying pipe lines for giving water supply to further extension of Fig Gardens at Ganjam, published in pages 220-221, Part VI of the *Mysore Gazette*, dated 1st February 1940.

The last date of receiving tenders is fixed on 16th February 1940.

Notification dated 29th January 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 20th February 1940, for the work of Improving Distribution System of Koppa Town (Kadur District) Water Supply. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer on a payment of annas four per each form. No tender not in the prescribed form will be accepted. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 150 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for the work of Improving Distribution System of Koppa Town (Kadur District) Water Supply," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Sanitary Engineer will be final and legally binding.

Approximate estimate of quantities of work.

Sl. No.	Particulars	Unit	Quantity	Rate
				Rs. a. p.
1	Earthwork excavation for laying C. I. pipe line and refilling with consolidation hard gravelly soil, average depth 6 feet	C.yd.	603	
2	Fixing C. I. pipe 4″ bore in the Reservoir wall at the bottom about 4 feet in thickness, including earthwork excavation 9 feet in depth, and finishing neat with cement mortar and concrete	Each	1	
3	Laying and lead jointing 4″ C. I. pipes	Joint	2	
4	Do do 3″ lead joints	,,	200	
5	Do do 3″ cement joints	,,	200	
6	Construction of masonry valve cistern 9 feet in depth (3′×3′ interior) and fixing C. I. cover 2½×2½′	Each	1	
7	Do do do 4′×2½×3	,,	1	
8	Providing and fixing of C. I. vertical road boxes 1′–3″ in depth and finishing neat with cement concrete and plaster as per type design	,,	2	
9	Removing 2″ G. I. existing main including earthwork excavation, refilling, etc.	R.ft.	3,600	
10	Conveying, laying and jointing 2″ G. I. pipes removed, from the tail end of 3″ C. I. main towards town parallel to the existing 1½″ G. I. sub-mains in the 2 streets lower down, with necessary earthwork excavation and refilling including cleaning of the pipes	R.ft.	3,600	
11	Cleaning, overhauling and refixing of C. I. sluice valves :—			
	3″ bore	Each	2	
	4″ bore	,,	1	
12	Transferring the existing public fountain connections from 2″ G. I. main removed to 3″ C. I. main with necessary main bores, etc., complete	Bore	4	
13	Laying ¾″ pipe with earthwork excavation, refilling the trench, etc., including cuts and threads	R.ft.	40	

K. S. HUTCHA RAO,
Sanitary Engineer.

KOLAR DIVISION.

Abstract Notification dated 20th January 1940.

The attention of the public is invited to the detailed notification dated 19th January 1940, published on pages 168-171, Part VI of the *Mysore Gazette*, dated 25th January 1940, *re* tenders for construction of one block of Line Inspector's quarters at Bethamangala, Bowringpet Taluk.

The last date for receiving tenders is 20th February 1940 up to 2 P.M.

Abstract Notification dated 23rd January 1940.

The attention of the public is invited to the detailed Notification, dated 22nd January 1940, published on pages 222-227, Part VI of the *Mysore Gazette*, dated 1st February 1940, regarding tenders for the construction of Electrical Buildings in Srinivaspur Town, Kolar District.

The last date for lodging of tender is 10th February 1940 up to 2 P.M.

Abstract Notification dated 28th January 1940.

The attention of the public is invited to the detailed notification dated 27th January 1940 published on pages 227-229, Prat VI of the *Mysore Gazette*, dated 1st Februray 1940, *re* tenders for "Constructing an Additional Rearing House at Sidlaghatta."

The last date for lodging of tender is 20th February 1940 up to 2 P.M.

Notification dated 30th January 1940.

1. Sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M. on 21st February 1940, for restoring Amblikallu Hongekere Tank, Reg. No. 327 in Mulbagal Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in a sealed cover and superscribed as "Tender for Restoring Amblikallu, Hongekere Tank." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a treasury chellan for earnest money of Rs. 155, paid to the treasury to the credit of "17. (*a*) P. W. Deposits," against the account of the Executive Engineer, Kolar Division. The earnest money of the successful tenderer will be retained as security for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 21st February 1940 at Kolar. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract form, for the due fulfilment of the contract and for the execution of all items of work in accordance with the Bombay Specifications. A reserve of 5 per cent will be withheld in the work bills of the contractor and the same repaid after the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Kolar, on all working days between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same. When lumpsum provisions are shown in the schedule of quantities the contractor will be paid at either his tendered rate for each item or the prevailing schedule of rates in the division at the discretion of the Executive Engineer.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a

contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative and may be due to any reason whatsoever. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of October 1940, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 5 per day which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the Department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.
(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.
(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by insurance at the proper time.

Note.—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

N.B.—Copies of tenders in the prescribed form are obtainable from the Office of the Executive Engineer, Kolar Division, Kolar, only on a payment of four annas per form.

Abstract estimate for restoring Amblikallu Hongekere Tank (Registered No. 327 in Mulbagal Taluk).

No.	Items of work	Unit	Rate	Quantity	Rates to be tendered
	I. *Bund at R. L.* 56.50, *top width* 4½ *ft.*		Rs. a. p.		Rs. a. p.
1	Jungle clearing on bund with removal of roots, etc., complete	Grade	2 0 0	15	

No.	Items of work	Unit	Rate	Quantity	Rates to be tendered
			Rs. a. p.		Rs. a. p.
2	Earthwork excavation, cutting grips and trenches for the seat of new earthwork	Grade	2 0 0	15	
3	Removing Ant-hills and filling hollows with sand	L. S.			
4	Earthwork excavation from borrow pits and using it for bund with complete watering and consolidation, etc., including lead and lift	C.yd.	0 3 0	3,777	
5	Turfing	S.yd.	0 0 9	4,057	
6	Removing and resetting old revetment with new jelly wedging	C.yd.	0 8 0	124	
7	Constructing new R. S. revetment with jelly wedging	,,	1 8 0	560	
8	Providing and fixing new grade stone with figuring and painting, etc., complete	Each	1 8 0	5	
9	Do B. M. Stones do	,,	2 8 0	2	
10	Removing and refixing existing grade stone in position after painting	,,	0 4 0	11	
11	Do Reg. No. stone do	,,	0 8 0	1	
	Total cost for Bund				
	II. *Sluices at Cs.* 17 *and Cs.* 20.				
1	Necessary patch repairs to both the sluices	L. S.			
	III. *Waste Weir* 118 *ft. long at R. L.* 51.00.				
1	Earthwork excavation for foundation, etc.	C.yd.	0 2 6	156	
2	Benching rock for foundation 4″×6″ deep	S.ft.	0 4 0	90	
3	Dismantling brick masonry and removing debris	C.ft.	0 0 3	600	
4	Burnt brick in surki mortar	,,	0 4 0	1,638	
5	Stone jelly concrete in surki mortar	,,	0 4 0	517	
6	Cement mortar plastering ½″ thick (1 : 3)	Sqr.	7 0 0	22·22	
7	Refixing available slabs in surki mortar after dressing	S.ft.	0 2 0	216	
8	Providing and constructing new R. stone revetment with jelly wedging	C.yd.	1 8 0	17	
	Total Cost				

C. R. IYENGAR,
Executive Engineer.

TUMKUR DIVISION.

Abstract Notification dated 24th January 1940.

The attention of the public is drawn to the notification, calling for tenders for collecting, breaking and stacking burnt metal 1″ to 1½″ size inclusive of lead in miles 45 to 70 (both inclusive) in Bangalore-Honnavar road, published in pages 230-231, Part VI of the *Mysore Gazette*, dated 1st February 1940.

2. The tenders will be received by the Executive Engineer up to 2 P.M. on 9th February 1940.

3. The earnest money required for the work is Rs. 50 for each section of mile noted in the abstract statement which should be credited to the Treasury to "17 (*a*) P.W. Deposits" and the relative chellan enclosed.

Abstract Notification dated 26th January 1940.

The attention of the public is drawn to the notification, calling for teners for collecting, breaking and stacking granite metal 1" to 1½" size including lead in miles 59 to 86 (both inclusive) in Salem-Bellary road, published in page 231, Part VI of the *Mysore Gazette*, dated 1st February 1940.

2. The tenders will be received by the Executive Engineer up to 2 P.M. on 12th February 1940.

3. The earnest money required for the work is Rs. 100 per each section of miles in the statement which should be credited to the Treasury to "17 (*a*) P.W. Deposits" and the relative chellan enclosed.

Notification dated 31th January 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Tumkur Division, up to 2 P.M. on 26th February 1940, for widening Honnudike to Sugganahalli Road from 6/6 to 4/7 mile on Honnudike Doddakere Tank bund. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Tumkur, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms, which may be obtained on payment of annas four for each form from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a treasury chellan of Rs. 350 credited to Treasury to "17 (*a*) P. W. Deposits" as earnest money, and be superscribed "Tender for widening Honnudike-Sugganahalli Road from 6/6 to 4/7 mile" in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per current schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract of estimate for widening the Honnudike to Sugganahalli road from 6/6th to 4/7th mile on Honnudike-Doddakere Tank Bund.

No.	Description of work	Per	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Cutting and removing jungle on the tank bund..	Grade	2 0 0	40	
2	Cutting steps and grips for receiving new earth	Each Grade.	3 0 0	40	
3	Earthwork widening with watering and consolidation	C.yd.	0 4 0	18,650	
4	Turfing to slopes	S.yd.	0 0 9	17,187	
5	Collecting and stacking field metal 2 to 3 inches size for soling including lead	C.yd.	1 0 0	330	
5*a*	Collecting, breaking and stacking metal 1¼" size with lead of 1½ mile	,,	1 12 0	165	

No.	Description of work	Per	Rate	Quantity	Cost
			Rs. a. p.		Rs.
6	Collecting and stacking gravel with a lead of ¾ mile	C.yd.	0 10 0	150	
7	Spreading field metal including hand picking and also small size and consolidating the same as above	,,	0 3 6	495	
8	Spreading and consolidating gravel	,,	0 3 0	150	
9	Necessary works to approaches of bund and revetting the slopes	L. S.	..	..	

Notification dated 1st February 1940

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Tumkur Division, up to 2 P.M. on 26th February 1940, for restoring Naragondanahalli breached Minor Tank, Sira Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Tumkur, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer on payment of four annas for each form. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a chalan for Rs. 150 credited to the treasury to "17 (*a*) P. W. Deposits" as earnest money, and be superscribed "Tender for restoring Naragondanahalli Breached Tank, Sira Taluk, in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per current schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for the restoration of Naragondanahalli breached tank, Hulikunte Hobli Sira Taluk.

No.	Description of work	Per	Rate	Quantity	Cost
	I. *Bund.*		Rs. a. p.		Rs.
1	Clearing thick jungle on tank bund	Grade	5 0 0	15	
2	Cutting grips in the bund	,,	3 0 0	15	
3	Earthwork to bund with watering and consolidation, etc., complete	C.yd.	0 4 6	2,890	
4	Turfing to bund	S.yd.	0 1 0	2,567	
5	New rough stone revetment with jelly backing	C.yd.	1 12 0	6·32	
6	Providing and fixing grade stones with bed slabs and painting figures including zero stone ..	No.	1 0 0	16	

No.	Description of work	Per	Rate	Quantity	Cost
			Rs. a. p.		
7	Providing and fixing Index stones	No.	0 8 0	16	
8	Providing and fixing new gauge stones with bed slabs including chiselling, painting, etc., complete	,,	10 0 0	1	
9	Providing and fixing B. M. stones	,,	3 0 0	2	
10	Providing and fixing Reg. No. and Date stone including cutting and painting figures, etc., complete	,,	4 0 0	1	
	II. *Constructing Pipe Sluice at C. S.* 10.				
1	Earthwork excavation foundation and refilling including consolidation, etc., complete ..	C.yd.	0 5 0	22	
2	Stone jelly concrete in surki mortar	C.ft.	0 4 0	204	
3	Burnt brick in surki mortar	,,	0 4 6	244	
5	Burnt stone slabs of 6″ thick with dressing, etc., complete	S.ft.	0 6 0	125	
5	Cutting groves in the guide slabs	No.	1 0 0	3	
6	Providing jungle wood plug with iron rod including locking arrangements	L. S.	..	..	
7	Plastering with surki mortar..	Sqr.	4 0 0	1·64	
8	Providing and fixing 7 feet C. I. pipe including carting, etc., complete	R.ft.	4 4 0	24	
	III. *Constructing a Masonry Weir.*				
1	Earthwork excavation for foundation ..	C.yd.	0 3 0		14
2	Stone jelly concrete in surki mortar	C.ft.	0 4 0		190
3	Burnt brick in surki mortar	,,	0 4 6		282
4	Burnt stone slabs of 6″ thick dressed and fixed..	S.ft.	0 6 0		288
5	Plastering with surki mortar..	Sqr.	4 0 0		2·10
6	Rough stone apron	C.yd.	1 12 0		46
7	Providing joggle joints	No.	1 0 0		8

P. RAJAGOPALAN,
Executive Engineer.

SHIMOGA DIVISION.

Abstract Notification dated 29th January 1940.

OPENING OUT A NEW ROAD FROM ANANDAPURAM TO GOWJA TO JOIN ON TO SAGAR-AMBLIGOLA ROAD, SHIMOGA DISTRICT.

The attention of the public is hereby invited to the advertisement in pages 257-258, Part VI of the *Mysore Gazette*, dated 1st February 1940, calling for tenders for opening out a new road from Anandapuram to Gowja to join on to Sagar-Ambligola road, Shimoga District.

Each tender must be accompanied by a treasury challan for having deposited Rs. 450 as earnest money.

The last date for receiving tenders is 19th February 1940.

D. A. HUKERI,
Executive Engineer.

KADUR DIVISION.

Abstract Notification dated 19th January 1940.

The attention of the public is invited to the Notification, published on pages 175-177, Part VI of the *Mysore Gazette*, dated 25th January 1940, calling for Tenders for the work of Providing additional accommodation to the Kannada Middle School at Kadur.

The last date of receipt of tender in this office is 12th February 1940. Each tender should accompany with a challan for having credited the deposit amount of Rs. 200 to the Treasury under 17 (a) P. W. Deposits towards the earnest money for the work in question.

M. A. RAMANUJAM,
Executive Engineer.